

**Amendments to the Claims:**

A clean version of the entire set of pending claims (including amendments to the claims, if any) is submitted herewith per 37 CFR 1.121(c)(3). This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (Previously Presented) A shaving apparatus comprising:  
at least one shaving head including a shaving surface for contacting the skin during shaving and at least one cutter that is moveable behind the shaving surface  
a drive structure including a motor and coupled to the at least one cutter  
for driving the movement of the at least one cutter electric power supply means connected to the motor;  
a housing containing the motor and at least part of the electric power supply means and carrying the drive structure; and  
a shell structure enveloping at least a portion of the housing behind the at least one shaving head when mounted to the housing.
2. (Previously Presented) A shaving apparatus according to claim 1, further comprising a shaving head holder support carrying a shaving head holder to which the at least one shaving head is mounted wherein the shell extends at least from a face against which the at least one shaving head holder support is mounted to a power plug socket at an end of the housing opposite from the face against which the at least one shaving head holder support is mounted.
3. (Previously Presented) A shaving apparatus according to claim 2, wherein the shell structure fully envelops the housing at least between the face against which the at least one shaving head holder support is mounted and the power plug socket.

4. (Previously Presented) A shaving apparatus according to claim 1, wherein the shell structure includes shell portions spaced ITom the housing such that an interspace is left between the housing and said shell portions.

5. (Previously Presented) A shaving apparatus according to claim 4, further comprising at least one draining passage for draining the interspace between the housing and the shell structure.

6. (Previously Presented) A shaving apparatus according to claim 1, wherein at least a portion of the shell structure is of a more impact resistant material than the housing.

7. (Previously Presented) A shaving apparatus according to claim 1, wherein at least a portion of the shell structure is of a softer material than the housing.

8. (Previously Presented) A shaving apparatus according to claim 1, wherein the housing includes at least a first operating member and wherein the shell structure includes at least a second operating member operatively connected with said first operating member.

9. (Previously Presented) A shaving apparatus according to claim 8, wherein said second operating member is mechanically connected with said first operating member.

10. (Previously Presented) A shaving apparatus according to claim 8, wherein said second operating member electrically connected with said first operating member.

11. (Previously Presented) A shaving apparatus according to claim 1, further comprising an optical signaling member said shell structure including a window via

which optical signals generated by said optical signaling member are visible.

12. (Previously Presented) A shaving apparatus according to claim 1, wherein the shell structure is detachable from the housing.

13. (Previously Presented) An assortment of at least two shaving apparatuses, each according to claim 1, wherein said housings of at least two of said apparatuses have mutually identical shapes; and wherein at least portions of two of said shell structures of said at least two apparatuses that cover mutually corresponding portions of the housings of said at least two apparatuses have mutually different shapes.

14. (Previously Presented) An assortment comprising at least one shaving apparatus according to claim 1 and at least two of said shell structures, wherein said shell structures are each mountable to said housing as an alternative for the other one of said shell structures and wherein at least portions of two of said shell structures that, when in mounted condition, cover the same portions of said housing have mutually different shapes.

15. (Currently Amended) A method of manufacturing shaving apparatuses, each comprising at least one shaving head including a shaving surface for contacting the skin during shaving and at least one cutter moveable behind the shaving surface a drive structure including a motor and coupled to the at least one cutter for driving movement of the at least one cutter [((4))]; electric power supply means connected to the motor; comprising:

manufacturing, for each of said shaving apparatuses, a housing containing the motor and at least part of the electric power supply means and carrying the drive structure said housings being identical to each other; and

manufacturing, for each of said shaving apparatuses, a shell structure enveloping at least a portion of the housing behind the at least one shaving head

when mounted to the housing said shell structures having shapes different from each other.